EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	411	703/6.ccor.	US-PGPUB; USPAT	OR	ON	2007/06/05 16:46
S2	1367	703/2.ccor.	US-PGPUB; USPAT	OR	ON	2007/06/05 16:46
S3	551	703/1.ccor.	US-PGPUB; USPAT	OR	ON	2007/06/05 16:47
S4	284	442/327.ccor.	US-PGPUB; USPAT	OR	ON	2007/06/05 18:58
S5	71	442/334.ccor.	US-PGPUB; USPAT	OR	ON	2007/06/05 18:59
S6	23	442/335.ccor.	US-PGPUB; USPAT	OR	ON	2007/06/05 19:30
S7	159518	non$woven	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 19:54
S8	9377	S7 with mat	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 19:59
S9	49163	predict$4 with (equation model)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 20:00
S10	19	S8 and S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 20:00
S11	12	S10 and @ad<="20040412"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 20:01
S12	3934	S8 and (fiber with glass)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 20:03
S13	1711	S12 and binder	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 20:03
S14	1256	S13 and length	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 20:04
S15	981	S14 and diameter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 20:04
S16	931	S15 and weight	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/05 20:05

S17	595	S16 and percent	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/06/05 20:06
S18	210169	(tear tensile) with strength	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/06/05 20:07
S19	309	S17 and S18	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/06/05 20:09
S20	190	S19 and performance	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/06/05 20:10
S21	29	S20 and predict$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/06/05 20:11
S22	25	S21 and @ad<="20040412"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON ·	2007/06/05 20:39
S23	1	S22 and regression	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/06/05 20:48
S24	11	(("5772846") or ("6548155") or ("6432482") or ("6723670") or ("6883575") or ("6875308") or ("6043169") or ("6008147") or ("6093485") or ("5837620") or ("5661213") or ("6008147")).PN.	US-PGPUB; USPAT	OR	OFF	2007/06/05 21:20
S25	1	("4954304").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/07 17:45
S26	1	("5837620").URPN.	USPAT	OR	ON	2007/06/07 17:47

Printable History

Search	Results
(((((((((((pub-date > 1959 and pub-date < 2005 and FULL-TEXT((nonwoven or non-woven)) and FULL-TEXT(mat)) and predict*) and fiber) and glass) and (tear or tensile)) and (length or dismeter)) and performance) and binder) and (equation or model)) and range) and regression *[All Sources(- All Sciences -)]*	19
(((((((((pub-date > 1959 and pub-date < 2005 and FULL-TEXT((nonwoven or non-woven)) and FULL-TEXT(mat)) and predict*) and fiber) and glass) and (tear or tensile)) and (length or dismeter)) and performance) and binder) and (equation or model)) and range *[All Sources(- All Sciences -)]*	43
((((((((pub-date > 1959 and pub-date < 2005 and FULL-TEXT((nonwoven or non-woven)) and FULL-TEXT(mat)) and predict*) and fiber) and glass) and (tear or tensile)) and (length or dismeter)) and performance) and binder) and (equation or model) *[All Sources(- All Sciences -)]*	45
(((((((pub-date > 1959 and pub-date < 2005 and FULL-TEXT((nonwoven or non-woven)) and FULL-TEXT(mat)) and predict*) and fiber) and glass) and (tear or tensile)) and (length or dismeter)) and performance) and binder *[All Sources(- All Sciences -)]*	48
(((((((pub-date > 1959 and pub-date < 2005 and FULL-TEXT((nonwoven or non-woven)) and FULL-TEXT(mat)) and predict*) and fiber) and glass) and (tear or tensile)) and (length or dismeter)) and performance *[All Sources(- All Sciences -)]*	158
((((((pub-date > 1959 and pub-date < 2005 and FULL-TEXT((nonwoven or non-woven)) and FULL-TEXT(mat)) and predict*) and fiber) and glass) and (tear or tensile)) and (length or dismeter) *[All Sources(- All Sciences -)]*	199
(((((pub-date > 1959 and pub-date < 2005 and FULL-TEXT((nonwoven or non-woven)) and FULL-TEXT(mat)) and predict*) and fiber) and glass) and (tear or tensile) *[All Sources(- All Sciences -)]*	233
((((pub-date > 1959 and pub-date < 2005 and FULL-TEXT((nonwoven or non-woven)) and FULL-TEXT(mat)) and predict*) and fiber) and glass *[All Sources(- All Sciences -)]*	334
(((pub-date > 1959 and pub-date < 2005 and FULL-TEXT((nonwoven or non-woven)) and FULL-TEXT(mat)) and predict*) and fiber *[All Sources(- All Sciences -)]*	412
((pub-date > 1959 and pub-date < 2005 and FULL-TEXT((nonwoven or non-woven)) and FULL-TEXT(mat)) and predict* *[All Sources(- All Sciences -)]*	484
pub-date > 1959 and pub-date < 2005 and FULL-TEXT((nonwoven or non-woven)) and FULL-TEXT(mat) *[All Sources(- All Sciences -)]*	1,070

Web   Images   Video   News   Maps   more »

prediction fiber glass mat length diameter bind [   ] - 2004   Search

Scholar

Results 1 - 7 of 7 for prediction fiber glass mat length diameter binder nonwoven regression. (0.10 seconds)

All Results

L Bank
T Gentry
B Thompson
J Russell

Did you mean: prediction *fiberglass* mat length diameter binder nonwoven regression

Bagasse Fiber for Production of Nonwoven Materials
OI Chiparus - 2003 - etd.lsu.edu
... Figure 4 at higher temperatures: **glass** transition of ... A suitable **nonwoven mat** for
geotextiles should sustain, or ... then retted to obtain the **fiber** bundles (Collier ...
Cited by 1 - Related Articles - View as HTML - Web Search - Library Search

The Impact of Input Energy, Fiber Properties, and Forming Wires on the Performance of Hydroentangled ...
H Zheng - 2003 - lib.ncsu.edu
... d MD = forming wire **diameter** in machine ... L p = projected **fiber length** in the direction ...
variables of jet design, jet flow, **fiber** characteristics, forming screen ...
Cited by 1 - Related Articles - View as HTML - Web Search - Library Search

Three Dimensional Structures from Nonwovens
GA Grissett - 2003 - lib.ncsu.edu
... of Pin **Diameter**.....72 ... above its **glass** transition ... of **fiber** interlocking. ...
Related Articles - View as HTML - Web Search - Library Search

A model specification for FRP composites for civil engineering structures - all 2 versions »
LC Bank, TR Gentry, BP Thompson, JS Russell - Construction and Building Materials, 2003 - engr.wisc.edu
... and Materials (ASTM) related to 'fiberglass' tanks, pipes ... data to allow for the
prediction of long ... includes information regarding the **fiber** volume fraction ...
Cited by 7 - Related Articles - View as HTML - Web Search

Passive space insect repellant strip - all 4 versions »
MS Munagavalasa - US Patent 6,534,079, 2003 - Google Patents
Page 1. United States Patent Munagavalasa (54) PASSIVE SPACE INSECT REPELLANT
STRIP (75) Inventor: Murthy S. Munagavalasa, Racine, WI (US) ...
Cited by 1 - Related Articles - Web Search

Properties of hemp fibre polymer composites-An optimisation
A Thygesen - Structure, 2001 - risoe.dk
... Lower picture: **Mat** of aligned hemp fibres that has ... Hemp **fiber** microstructure and
use of fungal defibration to ... have also lower density than **glass** fibres and ...
Related Articles - View as HTML - Web Search

Full Scale Accelerated Pavement Testing: A Southern Hemisphere and Asian Perspective - all 3 versions »
KG Sharp - Second International Conference on Accelerated Pavement ..., 2004 - mnroad.dot.state.mn.us
... 2 x 10 3) Population (million) Latitude Road **Length** (km x ... to refer to 'asphalt'
as the structural layer (**binder** and aggregate ... sal t s & gr a nul ar **mat** e r ...
Cited by 2 - Related Articles - View as HTML - Web Search

Did you mean to search for: prediction *fiberglass* mat length diameter binder nonwoven regression

prediction fiber glass mat length diar   Search

Google Home - About Google - About Google Scholar

©2007 Google